- 1. If necessary prepare the surface of the kit parts remove unwanted items, polish and degrease.
- 2. Remove the elements of painting masks from the subbase with a spatula and tweezers, bending the paper in place of the workpiece edge.
- 3. Transfer the mask elements to the prepared surfaces of the cockpit cover kit parts and wheel hubs in accordance with their numbers. First, mask the outer surface of the glazing, focusing on the framing line, then internal if present, focusing on the contours of the exterior elements previously deposited masks.
- 4. Paint the interior cockpit cover, using the minimum required amount of paint.
- 5. Remove the internal elements of the masks. If necessary, trim the edge of the mask in order to avoid detachment the paint.
- 6. Paste the items in a model and paint it first interior color, then at the color of the outer surface. After that remove the remaining mask elements with wooden toothpick. If necessary, gently trim the edge of the mask.

Warning. Don't leave masks on clear parts for a long time. Use with care on clear parts coated with "Pledge (Future) Floor Wax".

Our tip. For removeing mask parts we reccomend to use spatula maden from wooden toothpick. This prevent clear parts from possible demageing.






This product contains metal and resin detail parts for upgrading scale plastic models.

WARNING! This set contains small and sharp parts. Work carefully in a ventilated and well-lit room. Safety glasses are recommended. This product is not suitable f children below 14 years age.

THIS SET CONTAINS:

MADE FROM YELLOW KABUKI TYPE PAPER



For more information visit our website clearpropmodels.com

