

Max 7225 Irish Air Corps Selection 2024 LIMITED EDITION

SILK SCREEN PRINTED

DECAL SHEET WITH LASER PRINTED ANNIVERSARY

1/72 scale decals for the following subjects: Airbus C295 2024 (Answer kit)

Pilatus PC12NG Spectre (Sova-M kit)


Airbus EC-135 x2 (Revell kit)


Siai Marchetti SF 260 (Special Hobby kit)


Avro Anson XIX (Valom kit modified with new wing)

DH Dove (A Model kit)










As more model kits of aircraft and helicopters used by the Irish Air Corps become available, Max Decals will endeavour to produce suitable markings. In recent years manufacturers of injection moulded kits have produced such kits as the DH Dove (Amodel), AirbusC295 (Answer Models), Pilatus Pc12 (Sova-M), Percival Provost in 1/48 (Mikro-Mir) to name but a few. This decal sheet, Max7225 is designed to fill niche gaps for modellers wishing to model Irish Air Corps versions of these subjects. For further information see www.maxdecals.com or follow us on Facebook at maxdecals.

Special thanks to Kevin Byrne, Paul Cunniffe and Michael Whelan for their assistance.



General Instructions: For best results they should be applied to gloss painted surfaces. Cut around the required decal with a sharp blade and dip into luke warm water for a few seconds. As the decal loosens from the backing paper carefully slide the decal onto the model. Press down gently with a soft tissue or cloth. If you have not positioned the decal correctly place a few drops of water on and around the decal and float it into the correct position. Leave the decals to dry. They can be overcoated with varnish as required. These decals have not been tested with proprietary decal softening or setting solutions so modellers use these at their own risk.

Warning: These decals are extremely thin so exercise care when applying them. Special Instructions: The small squadron badges and anniversary markings on the supplementary sheet are laser printed on continuous decal film. To use them effectively, please coat the sheet in Mircoscale Decal Film and leave to dry. Using a sharp scalpel blade cut closely around the marking you wish to use. Dip in water until it slides off the backing paper. Apply it on the model on top of the white backing patch from the main silk screen printed sheet.